




Exceeding The Limits To Always Get The Best

CC GLOSSY
COLLECTION



AVADHISH
CERAMICS

1200x1600MM



CONNECTING THE VALUE OF SLAB





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

Black



Grey



Ivory



White




Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

PRODUCT Range |



PRODUCT Finishes

GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



APPLICATION Areas

AIRPORT	
DISCOTHEQUES	
INDUSTRIES	
GYMNASIUMS	
HOTELS	
CORRIDORS HALLS	
SCHOOLS	
SUPER MARKET	
OFFICE	



LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE





HYGIENIC



RESISTANT TO UV RAYS

TECHNICAL Features



BLUE PEARL


Random Face 3

BODY
BLACK BODY

FINISH
GLOSSY


SIZE
1200x1600 MM

THICKNESS
15 MM



FOREST GREEN

Random Face 5






BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





GLORIOUS BLUE




Random Face 3

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



PORTORO BLACK

Random Face 3

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ACHROMIC GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ACRON GREY

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ARMANI GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





BRECCIA SILVER

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DENIM GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



FENICE GREY

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ICEY GREY

Random Face 4

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



LISBON GREY

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



NOVANA GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



PARADISE GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



SILICA GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TRAVENTINO GREY

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TRAVERTINE CLASSIC GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



VINTAGE GREY

Random Face 3



BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



WILLIAM GREY

Random Face 3

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ANTICO IVORY

Random Face 3



BODY
IVORY BODY


FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

ARMANI BEIGE

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BERLIM BEIGE

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BOTTOCHINO

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





BOTTOCHINO NEUVO

Random Face 4

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BOTTOCHINO VENATO

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BRECCIA AURORA

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BRECCIA GOLD


Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



BRECCIA MAX

Random Face 3


BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





BRECCIA ONCIATA

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



CLASSIC DYNA


Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



COSTA BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

DANISH CREAM

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DETROIT NATURAL

Random Face 4

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DIANA PEARL

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DYNAGOLD

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DYNO ROYAL

Random Face 2

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



DENIM BEIGE

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



GLAM BRONZE


Random Face 4

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ITALO BEIGE

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



LISBON NATURAL

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



MARFIL VALENCIA

Random Face 4

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



MARMI BRECCIA

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



MIAMICREMA

Random Face 4

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

NOVANA BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



PEARL CREAM ONYX

Random Face 3




BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



PERSIAN IVORY

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



REGAL NATURAL

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





ROMANO CREMA

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



SPERANZA GOLD

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TERRAZZO BEIGE

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TOSCANA CREAM

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TRAVENTINO ROYAL

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

TROPICANA CREMA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TRAVERTINE CLASSIC

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



VICTORIA BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





VINTAGE ALMOND

Random Face 3



BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ALFONSO SKY

Random Face 3



BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ARABESCATO GOLD

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





ARCADIA WHITE

Random Face 3


BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





CRYSTAL ONYX

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





CAPRICORN GOLD

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





FURR WHITE

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





HORE STATUARIO

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

MARBLE VOLAKAS

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



ONYX GOLD


Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





ONYX ULTRA


Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





ROSALIA WHITE

Random Face 3


BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





SEAMLESS STATUARIO

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



STATUARIO GOLD

Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





STATUARIO GREY


Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM





STATUARIO PEARL


Random Face 3

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM



TROPICANA WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

ROYAL QUARTZITE

BODY
FULL BODY

FINISH
GLOSSY

SIZE
1200x1600 MM

THICKNESS
15 MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (+1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (+0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (+0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (+1.50mm)	± 0.10 %	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (+1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (+1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (+1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Post)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥(7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4 [#] / Post Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Post Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m/m	Max. 132m/m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹) / Post ≥P1(²⁻⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R11	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
 ** Except Hydrofluoric Acid & it's compound
 # Tiles Intended for use on floor
 ## As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Glossy	Color Body	1200x1600mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy	Full Body	1200x1600mm	15mm	1pc	20.67 Sq ft	67 Kgs